



**CASE**

"RW4" AND "RW6" SERIES  
FARM WAGONS




J. I. CASE COMPANY  
Racine, Wisconsin, U.S.A.





"HWT" AND "HWB" SERIES  
FARM WAGONS





# CASE MODEL "RW4" AND "RW6" FARM WAGONS

SELL GENUINE CASE PARTS

Emergency stock of Genuine CASE Parts and Supplies carried for quick distribution at the following Branches, Sub-branches and Transfer Points

## ALPHABETICAL INDEX

	B	Page
Bolster - Rocking, Front. . . . .		9
- Rocking, Rear . . . . .		9
	C	
Cylinder - Hydraulic. . . . .		11
	G	
Gear - Front, RW4 . . . . .		4
- Front, RW6 . . . . .		5
- Rear, RW4 . . . . .		6
- Rear, RW6 . . . . .		6
	H	
Hitch . . . . .		7
Hitch - Telesoping. . . . .		11
Hosit - Hydraulic . . . . .		10
Hub - Wheel . . . . .		8
	M	
Mounting Brackets - Barge Type Box. . . . .		12
- Flare Type Box. . . . .		12
	R	
Reach . . . . .		7



---

# SELL GENUINE CASE PARTS

---

Emergency stocks of Genuine **CASE** Parts and Supplies carried for quick distribution at the following Branches, Sub-Branchees and Transfer Points:

## BRANCH HOUSES AND TRANSFER DEALERS

Alabama.....	Montgomery	Maryland.....	Baltimore	Oklahoma.....	Oklahoma City
Arizona.....	Phoenix	Michigan.....	Lansing	Oregon.....	Portland
California.....	Oakland Riverside	Minnesota.....	Minneapolis	South Dakota.....	Sioux Falls Aberdeen
Colorado.....	Denver	Missouri.....	Kansas City St. Louis	Texas.....	Amarillo Dallas Houston
Florida.....	Orlando	Montana.....	Billings Great Falls	Tennessee.....	Memphis
Georgia.....	Atlanta	Nebraska.....	Omaha Sidney	Utah.....	Salt Lake City
Idaho.....	Idaho Falls Caldwell	New York.....	Syracuse	Washington.....	Spokane
Illinois.....	Peoria	North Carolina.....	Charlotte	Wisconsin.....	Racine
Indiana.....	Indianapolis	North Dakota.....	Fargo Minot		
Iowa.....	Des Moines	Ohio.....	Columbus		

## CANADA

Alberta.....	Calgary, Edmonton, Lethbridge	Manitoba.....	Winnipeg, Brandon
Saskatchewan.....	Regina, Saskatoon, Yorkton	Ontario.....	Toronto, London
	Quebec.....		Montreal

---

## IMPORTANT — Read Carefully

### INSTRUCTIONS FOR ORDERING **CASE** PARTS

**DO NOT FAIL** to order by correct Part Number.

**ORDER EARLY**—Do not delay ordering until you are about to use the parts.

Orders should plainly specify: Quantity, Number and Description of Part, Post Office Address, Shipping Station, County and State, Manner of Shipment—Parcel Post, Express or Freight. Sign all orders plainly.

If unable to locate number of part to be replaced or if uncertain as to the correct number, send old part to Branch as a sample, transportation charges prepaid, and marked plainly with your name and address so that it may be readily identified.

If it is not practical to send old part to Branch, be sure to give a good description of it and also give the numbers of some of the principal cast parts on the same machine; this will help to identify part.



# INFORMATION

To make it as simple as possible to locate the number of the parts to be replaced, the parts catalog is divided into sections or groups. Use the index to locate the group in which you would suppose the part would be listed. The numerical index at rear of catalog will indicate the page on which part number is described.

Look for the number on the old part and notice if the printed description of the number conforms to the part to be replaced.

Figures in the year column indicate the years machines were built using the part.

When the two last numerals of the year are shown (example 43) it signifies that the part was still being used on machines being built when this list was published and that it was adopted in the year mentioned.

When the year is shown in full (example 1946) it signifies that the part is not used on the present machines but was in use on machines built that year only.

The last two figures of different years (41-45) designates that the part was adopted on machines built during the first mentioned year but was discontinued on machines built after the second year shown.

Each letter of the key word represents a numeral as follows:

I	N	F	O	R	M	C	A	S	E
1	2	3	4	5	6	7	8	9	0

The letter Y is used to separate the code letters from the prefix and the suffix letters of the part number, Letter Z indicates  $\frac{1}{2}$ .

Example: To code the following numbers:

H860	H is the prefix letter of the part number, Y is the separating letter.
HYAME	A=8, M=6, E=0.
H1272S	H is the prefix letter of the part number; Y is the separating letter.
HYINCNYS	I=1, N=2, C=7, N=2. Y is the separating letter and S is the suffix letter.

A code word of not more than five letters will be accepted and charged for as one word by the telegraph companies, over five letters and not more than ten will be rated as two words.


Prepay all telegrams.

## UTILITY CODE

Apjaa	Ship on first car.	Cloba	Parcel post special delivery.
Atpda	Not in stock.	Ctrda	Mail our dealer at.....
Bibga	If not in stock, wire Factory to ship.	Ctsea	Mark dealer order number on shipping tags and invoices.
Bifka	Freight.....at.....charge us.	Ctufa	Truck open our dealer at.....
Bigla	Express.....charge us.	Hanba	We have your telegram.
Bjdba	Mail.....charge us.	Haoca	We have your letter.
Bjgea	Mail open account.	Hapda	See our letter.
Bkdba	Add charges.	Harea	See our telegram.
Bkga	Express our dealer at.....	Hasia	Advise us by wire.
Bnlha	Freight our dealer at.....	Hatga	Advise us by mail.
Crise	Wire, if for any reason immediate shipment cannot be made.	Hdkya	See your letter.
Camza	Charge through account of dealer at.....	Hdlza	See your telegram.



# CASE MODEL "RW4" AND "RW6" FARM WAGONS




## FRONT GEAR - RW4

Ref. No.	Part Number	Description	Quantity Used	Year Used
1	T 1828	End - radius rod . . . . .	2	63-
2	T 27066	Gear - front . . . . .	1	63-
		1/2" x 3-1/2" N.C. hex bolt (13-856) w/locknut (131-354)	2	
		3/4" x 5-1/2" N.C. hex bolt w/1" thread (113-706)		
		w/locknut (131-357) . . . . .	1	
		1/8" straight grease fitting (219-1) . . . . .	2	
3	T 27075	Stake . . . . .	2	63-
		7/16" x 4" N.C. hex bolt (13-764) w/lockwasher (92-7)		
		and N.C. hex nut (25-107) . . . . .	4	
4	T 27076	Spindle - front, R.H., complete w/Bushing (T 27077) . . . . .	1	63-
		3/8" x 3/4" N.C. hex bolt (13-612) w/lockwasher (92-6) . . . . .	1	
		5/8" x 2" N.C. hex bolt w/9/16" thread (113-622)		
		w/locknut (131-356) . . . . .	1	
		1-3/4" x 11/16" x 10 ga. washer (95-10) . . . . .	1	
		2" x 7/16" x 7 ga. washer (195-2037) . . . . .	1	
5	T 27077	Bushing - steering arm . . . . .	2	63-
6	T 27081	Spindle - front, L.H., complete w/Bushing (T 27077) . . . . .	1	63-
		3/8" x 3/4" N.C. hex bolt (13-612) w/lockwasher (92-6) . . . . .	1	
		5/8" x 2" N.C. hex bolt w/9/16" thread (113-622)		
		w/locknut (131-356) . . . . .	1	
		1-3/4" x 11/16" x 10 ga. washer (95-10) . . . . .	1	
		2" x 7/16" x 7 ga. washer (195-2037) . . . . .	1	
7	T 27082	Washer - thrust . . . . .	2	63-
8	T 27083	Rod - radius . . . . .	1	63-
		7/8" jam nut (25-1514) . . . . .	2	
		1/8" straight grease fitting (219-1) . . . . .	1	
9	T 27084	Hitch . . . . .	1	63-
		1-3/4" x 11/16" x 10 ga. washer (95-10) . . . . .	1	
		5/8" N.C. locknut (131-356) . . . . .	1	
		1/8" straight grease fitting (219-1) . . . . .	1	
		1/8" P.T. 67-1/2" degree grease fitting (219-40) . . . . .	1	
10	T 27091	Bolt - queen . . . . .	1	63-
		3/4" N.C. locknut (131-357) . . . . .	1	

DO NOT ORDER PARTS FROM THE ILLUSTRATION ONLY. REFER TO THE LIST ALSO.



# CASE MODEL "RW4" AND "RW6" FARM WAGONS




## FRONT GEAR - RW6

Ref. No.	Part Number	Description	Quantity Used	Year Used
1	T 1828	End - radius rod . . . . .	2	63-
2	T 27075	Stake . . . . . 7/16" x 4" N.C. hex bolt (13-764) w/lockwasher (92-7) and N.C. hex nut (25-107) . . . . .	2 4	63-
3	T 27077	Bushing - steering arm . . . . .	2	63-
4	T 27091	Bolt - queen . . . . . 3/4" N.C. locknut . . . . .	1 1	63-
5	T 27094	Gear - front . . . . . 1/2" x 4" N.C. hex bolt (13-864) w/locknut (131-354) . . . 3/4" x 5-1/2" N.C. hex bolt w/1" thread (113-706) w/lock- nut (131-357) . . . . . 1/8" P.T. 67-1/2" degree grease fitting (219-40) . . . . .	1 2 1 4	63-
6	T 27103	Spindle - front, R.H., complete w/Bushing (T 27077) . . . . . 3/8" x 3/4" N.C. hex bolt (13-612) w/lockwasher (92-6) . . 5/8" x 2" N.C. hex bolt w/9/16" thread (113-622) w/locknut (131-356) . . . . . 1-3/4" x 11/16" x 10 ga. washer (95-10) . . . . . 2" x 7/16" x 7 ga. washer (195-2037) . . . . .	1 1 1 1 1 1	63-
7	T 27107	Spindle - front, L.H., complete w/Bushing (T 27077) . . . . . 3/8" x 3/4" N.C. hex bolt (13-612) w/lockwasher (92-6) 5/8" x 2" N.C. hex bolt w/9/16" thread (113-622) w/locknut (131-356) . . . . . 1-3/4" x 11/16" x 10 ga. washer (95-10) . . . . . 2" x 7/16" x 7 ga. washer (195-2037) . . . . .	1 1 1 1 1 1	63-
8	T 27108	Washer - thrust . . . . .	2	63-
9	T 27109	Rod - radius . . . . . 7/8" jam nut (25-1514) . . . . . 1/8" straight grease fitting (219-1) . . . . .	1 2 1	63-
10	T 27110	Hitch . . . . . 1-3/4" x 11/16" x 10 ga. washer (95-10) . . . . . 5/8" N.C. locknut (131-356) . . . . . 1/8" straight grease fitting (219-1) . . . . . 1/8" P.T. 67-1/2" degree fitting (219-40) . . . . .	1 1 1 1 1	63-

DO NOT ORDER PARTS FROM THE ILLUSTRATION ONLY. REFER TO THE LIST ALSO.




# CASE MODEL "RW4" AND "RW6" FARM WAGONS



REAR GEAR - RW4

Ref. No.	Part Number	Description	Quantity Used	Year Used
1	T 27075	Stake . . . . . 7/16" x 4" N.C. hex bolt (13-764) w/lockwasher (92-7) and N.C. hex nut (25-107) . . . . .	2 4	63-
2	T 27114	Gear - rear . . . . . 1/2" x 3-3/4" N.C. hex bolt (13-860) w/locknut (131-354)	1	63-
3	T 27122	Washer - reach bolt . . . . .	2	63-




REAR GEAR - RW6

Ref. No.	Part Number	Description	Quantity Used	Year Used
1	T 27075	Stake . . . . . 7/16" x 4" N.C. hex bolt (13-764) w/lockwasher (92-7) and N.C. hex nut (25-107) . . . . .	2 4	63-
2	T 27123	Gear - rear . . . . . 5/8" x 5-1/2" N.C. hex bolt grade 7 (113-623) w/lock- nut (131-356) . . . . .	1	63-
3	T 27132	Washer - reach bolt . . . . .	2	63-

DO NOT ORDER PARTS FROM THE ILLUSTRATION ONLY. REFER TO THE LIST ALSO.




# CASE MODEL "RW4" AND "RW6" FARM WAGONS



## REACH

Ref. No.	Part Number	Description	Quantity Used	Year Used
1	T 27063	Reach - inner, RW4 (99" long) . . . . .	1	63-
2	T 27064	Reach - inner, RW6 (78" long) . . . . .	1	63-




## HITCH

Ref. No.	Part Number	Description	Quantity Used	Year Used
1	T 27133	Pole - hitch, RW4 . . . . .	1	63-
2	T 27139	Pole - hitch, RW6 . . . . .	1	63-

DO NOT ORDER PARTS FROM THE ILLUSTRATION ONLY. REFER TO THE LIST ALSO.



# CASE MODEL "RW4" AND "RW6" FARM WAGONS



## WHEEL HUB


Ref. No.	Part Number	Description	Qty. Used		Year Used
			RW4	RW6	
1	10754 K	Bolt - wheel . . . . .	20	24	63-
2	B 12409	Cone - bearing, (inner on RW4) (outer on RW6) . . . . .	4	4	63-
3	B 12411	Cone - bearing, outer. . . . .	4	-	63-
4	B 13280	Cap - hub . . . . .	4	-	63-
5	B 13281	Seal - grease. . . . .	4	-	63-
6	G 57007	Wheels for 15" tires . . . . .	-	4	63-
7	G 57074	Wheels for 14" tires . . . . .	-	4	63-
8	G 57452	Cone - bearing, - inner . . . . .	-	4	63-
9	T 23707	Cap - hub . . . . .	-	4	63-
10	T 23709	Seal - grease. . . . .	-	4	63-
11	T 27062	Wheels for 14" tires . . . . .	4	-	63-
12	T 27065	Wheels for 15" tires . . . . .	4	-	63-
13	T 27093	Hub w/cups . . . . .	4	-	63-
14	T 27113	Hub w/cups . . . . .	-	4	63-
15	25-1310	Nut - 5/8" N.F. slotted. . . . .	4	-	63-
16	25-1314	Nut - 7/8" N.F. slotted. . . . .	-	4	63-
17	132-69	Pin - cotter (5/32" x 1") . . . . .	4	-	63-
18	132-71	Pin - cotter (5/32" x 1-1/4") . . . . .	-	4	63-
19	195-41	Washer (1-5/16" x 21/32" x 13 ga.) . . . . .	4	-	63-
20	195-50	Washer (2" x 15/16" x 8 ga.) . . . . .	-	4	63-

DO NOT ORDER PARTS FROM THE ILLUSTRATION ONLY. REFER TO THE LIST ALSO.





- Replaced Page -

# CASE MODEL "RW4" AND "RW6" FARM WAGONS



## REACH

Ref. No.	Part Number	Description	Quantity Used	Year Used
1	T 27063	Reach - inner, RW4 (99" long) . . . . .	1	63-
2	T 27064	Reach - inner, RW6 (78" long) . . . . .	1	63-





## HITCH

Ref. No.	Part Number	Description	Quantity Used	Year Used
1	T 27133	Pole - hitch, RW4 . . . . .	1	63-
2	T 27139	Pole - hitch, RW6 . . . . .	1	63-

DO NOT ORDER PARTS FROM THE ILLUSTRATION ONLY. REFER TO THE LIST ALSO.




# CASE MODEL "RW4" AND "RW6" FARM WAGONS






# CASE MODEL "RW4" AND "RW6" FARM WAGONS



FRONT ROCKING BOLSTER

Ref. No.	Part Number	Description	Quantity Used	Year Used
1	T 27308	Bolster . . . . . 7/16" x 4" N.C. hex bolt (13-764) w/lockwasher (92-7) and N.C. hex nut (25-107) . . . . .	1 4	63-
2	T 27309	Riser - bolster . . . . . 1/2" x 3-3/4" N.C. hex bolt (13-860) w/lockwasher (92-8) and N.C. hex nut (25-108) . . . . .	2 2	63-
3	T 27310	Spacer - (1/2" std. pipe x 2-19/32") . . . . .	2	63-




REAR ROCKING BOLSTER

Ref. No.	Part Number	Description	Quantity Used	Year Used
1	T 27308	Bolster . . . . . 7/16" x 4" N.C. hex bolt (13-764) w/lockwasher (92-7) and N.C. hex nut (25-107) . . . . .	1 4	63-
2	T 27309	Riser - bolster . . . . . 1/2" x 3-3/4" N.C. hex bolt (13-860) w/lockwasher (92-8) and N.C. hex nut (25-108) . . . . .	2 2	63-

DO NOT ORDER PARTS FROM THE ILLUSTRATION ONLY. REFER TO THE LIST ALSO.



# CASE MODEL "RW4" AND "RW6" FARM WAGONS




## HYDRAULIC HOIST

Ref. No.	Part Number	Description	Quantity Used	Year Used
1	T 27311	Jack . . . . .	1	63-
2	T 27324	1/4" x 13/16" overall grease fitting (219-37) . . . . .	2	
		Bracket - mounting, front axle . . . . .	2	63-
		7/16" x 4" N.C. hex bolt (13-764) w/lockwasher (92-7) and N.C. hex nut (25-107) . . . . .	4	
3	V 14205	Pin - clevis . . . . .	2	63-
		1/8" x 1-1/4" cotter pin (132-50) . . . . .	2	
4	138-143	Roll pin - (1/4" x 2-1/4") . . . . .	1	63-

DO NOT ORDER PARTS FROM THE ILLUSTRATION ONLY. REFER TO THE LIST ALSO.




# CASE MODEL "RW4" AND "RW6" FARM WAGONS



## HYDRAULIC CYLINDER

Ref. No.	Part Number	Description	Quantity Used	Year Used
1	49393	"O" Ring (4-3/4" I.D. x 5" O.D. x 1/8") . . . . .	1	63-
2	49398	"O" Ring (1-5/8" I.D. x 2" O.D. x 3/16") . . . . .	1	63-
3	A 27352	"O" Ring (7/8" I.D. x 1-1/8" O.D. x 1/8") . . . . .	1	63-
4	T 27312	Hydraulic Cylinder Assembly . . . . .	1	63-
5	T 27313	Casing - cylinder . . . . .	1	63-
		5/16" x 1/2" N.C. hex bolt (13-58) w/lockwasher (92-5).	2	
		7/8" x 3/8" x 14 ga. washer (95-5). . . . .	2	
6	T 27314	Rod - piston . . . . .	1	63-
7	T 27315	Seal - oil. . . . .	1	63-
8	T 27316	Cup - packing . . . . .	1	63-
9	T 27317	Plug - breather . . . . .	1	63-
10	T 27318	Plate - follower. . . . .	1	63-
11	T 27319	"O" Ring (4-1/2" I.D. x 5 O.D. x 1/4") . . . . .	1	63-
12	T 27320	"O" Ring (5-3/8" I.D. x 5-5/8" O.D. x 1/8") . . . . .	1	63-
13	T 27321	Head - cylinder, rear . . . . .	1	63-
		1/8" pipe plug (221-11) . . . . .	1	
		1/8" P.T. 67-1/2" degree grease fitting (219-40). . . . .	1	
14	T 27322	Piston . . . . .	1	63-
15	T 27323	Cap - end . . . . .	1	63-
16	TD 4958	Pin - drilled . . . . .	1	63-
		7/8" x 3/8" x 14 ga. washer (95-5). . . . .	1	
		5/32" x 1-1/4" cotter pin (132-176) . . . . .	1	




## TELESCOPING HITCH

Ref. No.	Part Number	Description	Quantity Used	Year Used
1	T 27303	Pole - outer . . . . .	1	63-
2	T 27304	Pole - inner . . . . .	1	63-
3	T 27305	Pin - lock . . . . .	1	63-
		1/4" x 1-1/2" cotter pin (132-150) . . . . .	1	
4	T 27306	Spring - compression . . . . .	1	63-
5	T 27307	Block - stop . . . . .	1	63-
		3/8" x 1-1/2" N.C. hex bolt (13-624) w/shakeproof lockwasher (193-10). . . . .	2	
6	195-45	Washer - spindle (1-1/2" x 13/16" x 10 ga.) . . . . .	1	63-

DO NOT ORDER PARTS FROM THE ILLUSTRATION ONLY. REFER TO THE LIST ALSO.




## CASE MODEL "RW4" AND "RW6" FARM WAGONS



### HOIST MOUNTING BRACKETS FOR BARGE TYPE BOX

Ref. No.	Part Number	Description	Quantity Used	Year Used
1	T 27325	Bracket - front riser . . . . .	1	63-
2	T 27326	Bracket - sill rest and pivot . . . . . 1/2" x 1-1/2" N.C. hex bolt (13-824) w/lockwasher (92-8) and N.C. hex nut (25-108) . . . . . 1-1/16" x 17/32" x 13 ga. washer (195-33) . . . . .	2 8 As Req.	63-
3	T 27327	Bracket - rear axle mounting, R.H. . . . .	1	63-
4	T 27328	Bracket - rear axle mounting, L.H. . . . .	1	63-



### HOIST MOUNTING BRACKETS FOR FLARE TYPE BOX

Ref. No.	Part Number	Description	Quantity Used	Year Used
1	T 27329	Bracket - front riser . . . . .	1	63-
2	T 27330	Bracket - rear riser . . . . .	1	63-
3	T 27331	Bracket - rear axle mounting, R.H. . . . .	1	63-
4	T 27332	Bracket - rear axle mounting, L.H. . . . .	1	63-

DO NOT ORDER PARTS FROM THE ILLUSTRATION ONLY. REFER TO THE LIST ALSO.



## NUMERICAL INDEX

PART NUMBER	PAGE	PART NUMBER	PAGE	PART NUMBER	PAGE
49393	11	T27133	7	13-624	11
49398	11	T27139	7	13-764	4
10754K	8	T27303	11	13-824	12
A27352	11	T27304	11	13-856	4
B12409	8	T27305	11	13-860	9
B12411	8	T27306	11	13-864	5
B13280	8	T27307	11	25-107	4
B13281	8	T27308	9	25-108	9
G57007	8	T27309	9	25-1310	8
G57074	8	T27310	9	25-1314	8
G57452	8	T27311	10	25-1514	4
T1828	4-5	T27312	11	92-5	12
T23707	8	T27313	11	92-6	4
T23709	8	T27314	11	92-7	4
T27062	8	T27315	11	92-8	9
T27063	7	T27316	11	95-5	11
T27064	7	T27317	11	95-10	4
T27065	8	T27318	11	113-622	4
T27066	4	T27319	11	113-623	6
T27075	4-5-6	T27320	11	113-706	4
T27076	4	T27321	11	131-354	4
T27077	4-5	T27322	11	131-356	4
T27081	4	T27323	11	131-357	4
T27082	4	T27324	10	132-69	8
T27083	4	T27325	12	132-71	8
T27084	4	T27326	12	132-150	11
T27091	4-5	T27327	12	132-176	11
T27093	8	T27328	12	138-143	10
T27094	5	T27329	12	193-10	11
T27103	5	T27330	12	195-33	12
T27107	5	T27331	12	195-41	8
T27108	5	T27332	12	195-50	10
T27109	5	TD4958	11	195-2037	4
T27110	5	V14205	10	219-1	4
T27113	8			219-37	10
T27114	6	HARDWARE CODE ITEMS		219-40	4
T27122	6				
T27123	6	13-58	12		
T27132	6	13-612	4		



*Be Safe...*

*Insist on*  
**GENUINE**



**PARTS!**